## **POWER AMPLIFIERS**

		POWER AMPLIFIERS		
	071-3000-000	Fender SPL-M300 Stage Monitor Power Amplifier		
4	071-6000-000	SPL-6000 Dual Channel Professional Power Amplifier	7	\$719.99
	071-9000-000	SPL-9000 Dual Channel Professional Power Amplifier	7	\$949.99
		ACCESSORY ITEMS		
	INTERCON	NECT PANELS Tender SPL-Tour Panel	_	(ITID) A
	U/1-9960-000 F	ender SPL-Tour Panel	1	1DA
	RACK CABI	NETS .		
		RACK TYPE ROAD CASES		
	071-1902-000	(RX 1902, 2-space EFX Series rack)		
	071-1904-000	(RX 1904, 4-space EFX Series rack)		
	071-1906-000	(RX 1906, 6-space EFX Series rack)		
	071-1908-000	(RX 1908, 8-space EFX Series rack)		
	071-1912-000	(RX 1912, 12-space EFX Series rack)	7	\$239.99
		S RACK TYPE ROAD CASES		
	071-1909-000	(RX-1928, 8 Space Amp Series rack)		
	071-1913-000	(RX-1922, 12 Space Amp Series rack)		
	071-1917-000	(RX-1926, 16 Space Amp Series rack)	7	\$339.99
	SPEAKER S	TANDS		
	071-0270-000	Model ST-75 Tripod Speaker Stand	8	\$164.99
		TAX DEAGNATED AND CO		
1	991-7000-000	VAL MATERIALS "Making The Connection" The Fender Pro Audio Primer	8	\$19.95
1				
		FRONT OF HOUSE LOUDSPEAKER SYSTEMS		
	FENDER AR	TIST SERIES SPEAKER SYSTEMS		
	071-1110-000	Sunn 1110 Two Way Speaker System (Grey Carpet)	8	\$209.99
	070-2810-000	Fender 1110 Two Way Speaker System (Black Tolex)	8	\$209.99
	071-1110-100	Fender 1110-A Two Way Speaker System (Black Carpet, Avail. 5-30-94)	8	\$209.99
	071-1100-000	Fender 110-ELC Two Way Speaker (Black Carpet, Avail. 5-30-94)		
	071-1201-000	Sunn 1201 Two Way Speaker (Grey Carpet)		
	070-2812-000	Fender 1201 Two Way Speaker (Black Tolex)		
	071-1201-100	Fender 1201-A Two Way Speaker (Black Carpet, Avail. 5-30-94)		The second secon
	071-1200-000	Fender 112-ELC Two Way Speaker (Black Carpet, Avail. 4-15-94)		
	071-1205-000	Sunn 1205 Two Way Speaker (Grey Carpet)		
	070-2815-000	Fender 1205-A Two Way Speaker (Black Carpet, Avail. 5-30-94)	0	\$303.33 \$200.00
	071-1205-100 071-1500-000	Fender 115-ELC Two Way Speaker (Black Carpet, Avail. 5-30-54)	9	\$319.99
	SPL SERIES	PROFESSIONAL LOUDSPEAKERS		
	071-1211-000	Sunn SPL-1211 Two Way Speaker (Grey Carpet)		
	ATA AAAT AAA	Fender SPL-1211 Two Way Speaker (Black Tolex)	9	\$459.99
	070-2825-000			
	070-2825-000 071-1211-100	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9	\$499.99
	071-1211-100 070-2825-100	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94) Fender SPL-1211 -Mk. II Two Way Speaker (Black Tolex, Avail. 6-15-94)	9 9	\$499.99 \$499.99
	071-1211-100 070-2825-100 071-1225-000	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94) Fender SPL-1211 -Mk. II Two Way Speaker (Black Tolex, Avail. 6-15-94) Sunn SPL-1225 Two Way Speaker (Grey Carpet)	9 9 10	\$499.99 \$499.99 \$609.99
	071-1211-100 070-2825-100 071-1225-000 071-1225-100	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9 9 10 10	\$499.99 \$499.99 \$609.99 \$649.99
	071-1211-100 070-2825-100 071-1225-000 071-1225-100 071-1226-000	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9 10 10 10	\$499.99 \$499.99 \$609.99 \$649.99 \$819.99
	071-1211-100 070-2825-100 071-1225-000 071-1225-100 071-1226-000 071-1226-100	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9 10 10 10 10	\$499.99 \$499.99 \$609.99 \$649.99 \$819.99 \$849.99
	071-1211-100 070-2825-100 071-1225-000 071-1225-100 071-1226-000 071-1226-100 071-1228-000	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9 10 10 10 10	\$499.99 \$499.99 \$609.99 \$649.99 \$819.99 \$849.99 \$699.99
	071-1211-100 070-2825-100 071-1225-000 071-1225-100 071-1226-000 071-1226-100	Fender SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Avail. 6-15-94)	9 10 10 10 10 11	\$499.99 \$499.99 \$609.99 \$649.99 \$819.99 \$849.99 \$699.99 \$749.99

C.I. (CONT	RACTOR/INSTALLER) SERIES					
071-1295-000		11	\$409.99	2		
(Married World 1970)	그들은 이 사람이 되는 것이 되는 사람들은 사용이 되는 사람들이 되었다면 사람들이 되었다면 하는 것이 되었다면 하는데 되었다면 하는데			(		
THE FENDER SPL TOUR SERIES OF PROFESSIONAL ARRAYABLE LOUDSPEAKERS						
071-1310-000		11	\$609.99 B			
071-1320-000						
071-1330-000		12	\$719.99 B			
071-1340-000	Fender Tour Series SPL-2915	12	\$819.99 B			
FENDER S	FENDER SPL TOUR SERIES™ RIGSAFE™ LOUDSPEAKER RIGGING AND FLYING HARDWARE					
071-1350-000		13	\$109.99 B			
071-1351-000		13	\$49.99 B			
071-1352-000	RS-1X2-SB Stacking Bracket	13	\$39.99 B			
071-1353-000	RS-1X2-SME Shackle Mount-Extended	13	\$59.99 B			
071-1354-000		13	\$1.99 B			
071-1355-000	RS-QRP-2.5 Quick Release Pin (2.5")	13	\$15.99 B			
071-1356-000						
071-1357-000	RS-FEB1 Forged Steel Eye Bolt	13	\$4.99 B			
	STAGE MONITOR SYSTEMS					
ARTIST SE	RIES STAGE MONITOR SPEAKERS					
071-1272-000	Sunn 1272 Stage Monitor Speaker (Grey Carpet)	14	\$279.99			
070-2832-000	Fender 1272 Stage Monitor Speaker (Black Tolex)					
071-1272-100	Fender 1272-A Stage Monitor Speaker (Black Carpet, Avail. 5-30-94)	14	\$279.99			
071-1275-000	Fender 1275 Stage Monitor Speaker (Grey Carpet)					
071-1275-100	Fender 1275-A Stage Monitor Speaker (Black Carpet, Avail. 5-30-94)	14	\$309.99			
A STREET OF STREET STREET, STR	S STAGE MONITOR SPEAKERS					
071-1282-000	Sunn SPL-1282 Stage Monitor (Grey Carpet)			1		
071-1282-100	Fender SPL-1282 Mark II Stage Monitor (Black Carpet, Avail. 8-1-94)					
071-1285-000	Sunn SPL-1285 Stage Monitor (Grey Carpet)			8		
070-2835-000	Fender SPL-1285 Stage Monitor (Black Tolex)					
071-1285-100	Fender SPL-1285 Mark II Stage Monitor (Black Carpet, Avail. 8-1-94)	15	\$649.99			
C.L. (CONTI	RACTOR/INSTALLER) SERIES STAGE MONITOR SPEAKERS					
071-1292-000	Fender-Sunn Model 1292M C.I. (Wood Veneer)	15	\$349.99			

# PROFESSIONAL STAGE LIGHTING

Part Number		Page #	U.S. Retail
	MANUAL CONTROL CONSOLES		
990-9900-330	SC24-F	16	\$269.99
990-9900-390	SC28-F		
990-9900-350	SC216		
	PROGRAMMABLE CONTROL CONSOLES		
990-9900-320	PLC 3200	16	\$1839.99
	SUNN LITESYS INTEGRATED STAGE LIGHTING SYST	EM	
990-9953-000	SUNN LITESYS 438	16	ТВА
990-9954-000	SUNN LITESYS 456		
990-9955-000	SUNN LITESYS 464		
	SATELLITE STYLE DIMMER PACKS (TRUSS OR TREE MO	OUNT)	
080-0310-000	PS-310	17	\$359.99
080-0610-000	PS-610		
990-9900-340	PS-1200		
	RACKMOUNT POWER SWITCHER		
080-0600-000	PRO RACK ND 600	17	\$539.99
	LIGHT GROUPS		
990-9900-260	LG-4	17	\$379.99
	ACCESSORIES		
990-9900-280	ST-100		
990-9958-000	PC-2 PAR/Pipe Clamp		
990-9900-360	CB-100		
990-9900-380	PAR 38		
990-9900-560	PAR 56		
990-9900-640	PAR 64		
990-9900-140	Colormedia	17	\$59.99
	LAMPS		
990-9900-180	(150 Watt, 120 Volt, Par 38 LAMP)	18	\$15.99
990-9900-190	(250 Watt, 120 Volt, Krypton Par 38 LAMP)		
990-9900-200	(300 Watt, 120 Volt, Par 56 Medium Flood Lamp)	18	\$35.99
990-9900-210	(500 Watt, 120 Volt, Par 56 Quartz Lamp)	18	\$79.99
990-9900-220	(500 Watt, 120 Volt, Par 64 Narrow Spot)	18	\$59.99
990-9900-230	(1,000 Watt, 120 Volt, Par 64 Quartz Lamp)	18	\$129.99

All features, specifications, and prices are subject to change without notice.

## ELECTRONIC CROSSOVER NETWORKS

A powerful stereo two way, mono three way, 24 dB per octave Linkwitz/Reiley rackmount electronic crossover. All front panel controls are recessed yet easily accessible,

and a smoked plexiglass security cover is provided with the unit

A powerful stereo three way, mono four/five way, 24 dB per octave Linkwitz/Reiley rackmount electronic crossover. Each of the two channels feature a variable input level, frequency sweep, L.F. output level, Mid Frequency level control and mute switch, a mid band phase reverse switch, a H.F. output level control, a high frequency mute switch, and a high frequency phase reverse switch. Rear panel features include balanced XLR connectors for all inputs and outputs, and a CD horn equalization switch on each channel. All front panel controls are recessed yet easily accessible, and a smoked plexiglass security cover is provided with the unit. One of the highest quality crossovers available at any price, yet within the reach of any working professional.

The Fender SPL-PCN1 is a low cost passive crossover network for use with the SPL118s and SPL-215s subwoofers. It is a passive unit, and requires no power. Simply
insert the device after the amplifier, and before the subwoofer and the full range
cabinet. Features include 1/4" phone jack inputs, a sensitivity switch for the full range
enclosure, which reduces the gain of the full range speakers by -3 or -6 dB, thus
emphasizing the bass, and impedance selector switches. It is the perfect low cost way to
add subwoofers to an existing system

## POWER AMPLIFIERS

The Fender/SUNN SPL-M300 is a single channel amplifier, specially designed for powering on stage monitoring systems. Although it excels at stage monitor amplification and feedback control, the M-300 has many other applications as well. It is perfect where a medium power amplifier is required, combined with sophisticated feedback control circuitry. It is also ideal for use in many sound contracting applications. Features include a 300 watt at 2 ohm power amplifier, coupled to a control section through an access patch point. The control section provides a balanced XLR and 1/4" TRS line input, an input level control for gain setting, a sweepable frequency high pass filter, a sweepable frequency low pass filter, and a three band sweepable narrow band notch filter for feedback control. Each notch filter band provides a "notch depth" slide fader, and a rotary frequency sweep control. This configuration quickly and easily will control nearly any feedback situation far more effectively than any graphic equalizer. The output of the control section is fed into an insert patch point, allowing the insertion of an electronic crossover network or speaker processor. This allows the power amp section of the M-300 to be used for bi-amplified monitor applications, with the internal amplifier being used for high frequencies, and a larger external amp to be used for low frequencies. The M-300 is built in a two rack space unit. Two speed forced air fan cooling is used, as is the proprietary  $DeltaComp^{TM}$  amplifier and speaker protection system

Part Number Model/Description U.S. Retail Price

SPEAKER STANDS

A heavy duty tripod stand constructed of anodized aluminum alloy tubing, 75 lb.

loudspeaker carrying capacity.

#### **EDUCATIONAL MATERIALS**

991-7000-000 "Making The Connection" The Fender Pro Audio Primer .......\$19.95

A complete self teaching course on professional audio, covering everything from the performer, to the equipment, to room acoustics, and finally to the listeners ear. As opposed to a typical dry, technical tome that goes right over the head of most readers, making the connection is a humorous yet informative book that assumes no previous knowledge of pro audio, yet brings the reader up to speed quickly, without offending the intelligence of anyone with some knowledge of the field. A valuable resource, and the perfect companion for any Fender pro audio sound system. "Making The Connection" is also extremely useful for training a retailers sales staff. Highly recommended!

#### FRONT OF HOUSE LOUDSPEAKER SYSTEMS

#### FENDER ARTIST SERIES SPEAKER SYSTEMS

 071-1110-000
 Sunn Model 1110 Two Way Loudspeaker (Grey Carpet)
 \$209.99

 070-2810-000
 Fender Model 1110 Two Way Loudspeaker (Black Tolex)
 \$209.99

Features include: a 10" bass speaker, dual FPZ drivers coupled to a dual element horn, 16 ohm impedance, 94 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Stand adapter included. Rectangular box style cabinet, with a perforated metal hubcap style grill, metal corners, and covered in black

Tolex™, or grey carpet.

Features include: a 10" bass speaker, dual FPZ drivers coupled to a dual element horn, 16 ohm impedance, 94 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Stand adapter included. Rectangular box style cabinet, with a curved perforated metal grill covering the entire front of the cabinet,

metal corners, and covered in black carpet.

071-1100-000 Fender Model 110-ELC Two Way Loudspeaker (Black Carpet, Available 5-30-1994)............ \$219.99

Features include: a 10" bass speaker, dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 94 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Stand adapter included. Trapezoidal shaped cabinet with a curved perforated metal grill covering the entire front of the cabinet. The 110-

ELC is finished in an industrial black carpet with black metal corners.

 071-1201-000
 Sunn Model 1201 Two Way Loudspeaker (Grey Carpet)
 \$279.99

 070-2812-000
 Fender Model 1201 Two Way Loudspeaker (Black Tolex)
 \$279.99

Features include: a 12" bass speaker, with dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 95 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Rectangular box style cabinet, with a perforated hubcap style metal grill, metal corners, and covered in black Tolex<sup>TM</sup>, or grey carpet.

Stand adapter included.

Features include: a 12" bass speaker, with dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 95 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Rectangular box style cabinet, with a perforated metal grill covering the entire front of the cabinet, metal corners, and covered in black

carpet. Stand adapter included.

Part Number Model/Description U.S. Retail Price Fender Model 112-ELC Two Way Loudspeaker (Black Carpet, Available 4-15-1994)........... \$289.99 071-1200-000 Features include: a 12" bass speaker, dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 94 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Stand adapter included. Trapezoidal shaped cabinet with a curved perforated metal grill covering the entire front of the cabinet. The 112-ELC is covered in an industrial black carpet, with black metal corners. 071-1205-000 Sunn Model 1205 Two Way Loudspeaker (Grey Carpet)......\$309.99 070-2815-000 Fender Model 1205 Two Way Loudspeaker (Black Tolex) ......\$309.99 Features include: a 15" bass speaker, dual FPZ drivers coupled to a dual element horn. 8 ohm impedance, 95 dB sensitivity at 1 meter watt, 150 watts power handling, 60 Hz to 20 kHz frequency response. Rectangular box style cabinet, with a perforated hubcap style metal grill, metal corners, and covered in black Tolex™, or grey carpet. Stand adapter included. 071-1205-100 Features include: a 15" bass speaker, with dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 95 dB sensitivity at 1 meter watt, 150 watts power handling. 60 Hz to 20 kHz frequency response. Rectangular box style cabinet, with a perforated metal grill covering the entire front of the cabinet, metal corners, and covered in black carpet. Stand adapter included. Fender Model 115-ELC Two Way Loudspeaker (Black Carpet, Available 4-15-1994)............ \$319.99 071-1500-000 Features include: a 15" bass speaker, dual FPZ drivers coupled to a dual element horn, 8 ohm impedance, 94 dB sensitivity at 1 meter watt, 100 watts power handling, 60 Hz to 20 kHz frequency response. Stand adapter included. Trapezoidal shaped cabinet with a curved perforated metal grill covering the entire front of the cabinet, black metal corners, and covered in black carpet. SPL SERIES PROFESSIONAL LOUDSPEAKERS Sunn Model SPL-1211 Two Way Loudspeaker (Grey Carpet).......\$459.99 071-1211-000 070-2825-000 Features include: a proprietary heavy duty 15" bass speaker, combined with a 1" exit titanium compression driver, coupled to a constant directivity horn. Nominal system impedance 8 ohms, >95dB sensitivity at 1 meter watt, 150 watts power handling (E.I.A. RS-426 8 hours), 50 Hz to 20 kHz frequency response. Full range operation only. Rectangular shaped cabinet covered in grey industrial carpet or black tolex, with a round "hubcap style" perforated metal grill. Stand adapter included. Fender Model SPL-1211 -Mk. II Two Way Speaker (Black Carpet, Available 6-15-1994).... \$499.99 071-1211-100 070-2825-100 Fender Model SPL-1211 -Mk. II Two Way Speaker (Black Tolex, Available 6-15-1994) ...... \$499.99 Features include: a proprietary heavy duty 15" bass speaker, combined with a 1" exit titanium compression driver, coupled to a constant directivity horn. Nominal system impedance 8 ohms, >95dB sensitivity at 1 meter watt, 150 watts power handling (E.I.A. RS-426 8 hours), 250 watts short term, 50 Hz to 20 kHz frequency response. Selectable for bi-amplified or full range operation. Rectangular shaped cabinet covered in black

industrial carpet or black tolex, with a curved perforated metal grill covering the entire

front of the speaker cabinet. Stand adapter included.

woofer.

. \$609.99

\$819.99

\$699.99

071-1225-000

071-1225-100

Fender Model SPL-1225-Mk. II Two Way Speaker (Black Carpet, Available 6-15-1994)..... \$649.99

An affordable top quality trapezoidal full range loudspeaker. Features include a proprietary cast frame 15" bass speaker with 3" voice coil on a Kapton former, a 1" exit titanium diaphragm equipped compression driver with a 2" voice coil, coupled to a proprietary constant directivity horn. Other features include a sophisticated 4th order Linkwitz/Reiley passive crossover, with group delay correction and phase compensation, which can be bypassed for bi-amplified operation. Input connectors include both dual high current 1/4" phone jacks, and dual Neutrik NL-4MP 4 pole Speakon<sup>TM</sup> connectors. Nominal system impedance is 8 ohms, and sensitivity is >100 dB at 1 meter watt. Power rating is >200 watts (E.I.A. RS-426 8 hours), 400 watts short term. 50 Hz to 20 kHz frequency response. The cabinet is constructed out of solid plywood, covered in black industrial carpet, with black metal corners, and a curved perforated metal grill covering the entire front of the speaker cabinet.

071-1226-000

Sunn Model SPL-1226 Two Way Speaker (Grey Carpet)

An affordable trapezoidal full range loudspeaker, with dual cast frame 15" bass speakers with 3" voice coils on a Kapton former, and a 1" exit titanium diaphragm equipped compression driver with a 2" voice coil, coupled to a proprietary constant directivity horn. Other features include a sophisticated 3rd order butterworth passive crossover, which can be bypassed for bi-amplified operation. Input connectors are dual high current 1/4" phone jacks. Nominal system impedance is 8 ohms, and sensitivity is >100 dB at 1 meter watt. Power rating is >400 watts (E.I.A. RS-426 8 hours). 38 Hz to 20 kHz frequency response. The cabinet is constructed out of solid plywood, covered in grey industrial carpet, with two round "hubcap style" perforated metal grills covering the woofers.

071-1226-100

Fender Model SPL-1226-Mk. II Two Way Speaker (Black Carpet, Available 6-15-1994)..... \$849.99

An affordable but top quality trapezoidal full range loudspeaker, with dual 15" drivers
for an emphatic low end response out of a single box speaker system. Features include:
two proprietary cast frame 15" bass speakers with 3" voice coils on a Kapton former,
and a 1" exit titanium diaphragm equipped compression driver with a 2" voice coil,
coupled to a proprietary constant directivity horn. Other features include a sophisticated 4th order Linkwitz/Reiley passive crossover, with group delay correction and
phase compensation, which can be bypassed for bi-amplified operation. Input connectors include both dual high current 14" phone jacks, and dual Neutrik NL-4MP 4 pole
Speakon<sup>TM</sup> connectors. Nominal system impedance is 8 ohms, and sensitivity is >100
dB at 1 meter watt. Power rating is >400 watts (E.I.A. RS-426 8 hours), 600 watts short
term, 38 Hz to 20 kHz frequency response. The cabinet is constructed out of solid
plywood, covered in black industrial carpet, with black metal corners, and a curved
perforated metal grill covering the entire front of the speaker cabinet...

071-1228-000

#### 071-1318-000

#### 071-1325-000

## C.I. (CONTRACTOR/INSTALLER) SERIES

#### 071-1295-000

# FENDER SPL TOUR SERIES PROFESSIONAL ARRAYABLE LOUDSPEAKERS

## 071-1310-000

A tight, punchy sounding, professional subwoofer system, that can also be flown if desired. Features include: an 18" Cast frame subwoofer, with a four inch voice coil and massive magnet structure, built into a solid 13 ply void free Baltic birch plywood enclosure. Reinforced with internal wood braces and steel angle iron for flying array applications, and designed to accept the Fender RigSafe flying truss system (compatible with JBL SAFE system, and ATM Flyware components). Power handling capability ≥600 watts short term, 300 watts long term. 8 ohm impedance. Sensitivity ≥100 dB, 1 meter, 1 watt. Finished in a rugged plasticized composite epoxy painted finish (which can be repainted to match any decor in permanent installations or refinished on the road to cover normal wear and tear), with a perforated metal grill. Hookup is accomplished by either dual high current phone jacks, or with the dual NL-4MP Neutrik Speakon ™ connectors found on the rear panel.

## STAGE MONITOR SYSTEMS

#### ARTIST SERIES STAGE MONITOR SPEAKERS

 071-1272-000
 Sunn 1272 Stage Monitor Speaker (Grey Carpet)
 \$279.99

 070-2832-000
 Fender 1272 Stage Monitor Speaker (Black Tolex)
 \$279.99

Features include: a 12" bass speaker with a 2" voice coil, a dual element horn with two FPZ drivers, a front panel level control for applications where multiple monitors are driven off of the same amplifier (thus allowing individual level adjustment), a 16 ohm impedance, 95 dB sensitivity at 1 meter watt, 100 watts power handling, 60Hz to 20 kHz frequency response, and 30 or 60 degree tilt angles.

Features include: a 12" bass speaker with a 2" voice coil, a dual element horn with two FPZ drivers, a front panel level control for applications where multiple monitors are driven off of the same amplifier (thus allowing individual level adjustment), a 16 ohm impedance, 95 dB sensitivity at 1 meter watt, 100 watts power handling, 60Hz to 20 kHz frequency response, and 30 or 60 degree tilt angles, and a perforated metal grill.

Features include: a 15" bass speaker with a 2" voice coil, a dual element horn with two FPZ drivers, a front panel level control for applications where multiple monitors are driven off of the same amplifier (thus allowing individual level adjustment), a 16 ohm impedance, 95dB sensitivity at 1 meter watt, 100 watts power handling, 60Hz to 20 kHz frequency response, and 30 or 60 degree tilt angles.

Features include: a 15" bass speaker with a 2" voice coil, a dual element horn with two FPZ drivers, a front panel level control for applications where multiple monitors are driven off of the same amplifier (thus allowing individual level adjustment), a 16 ohm impedance, 95dB sensitivity at 1 meter watt, 100 watts power handling, 60Hz to 20 kHz frequency response, and 30 or 60 degree tilt angles.

## SPL SERIES STAGE MONITOR SPEAKERS

Features include a 12" cast frame bass speaker with 3" voice coil, a 2" voice coil titanium diaphragm equipped compression driver coupled to a constant directivity horn, 8 ohm nominal system impedance, 100 dB sensitivity at 1 meter watt, 200 watts power handling (E.I.A. RS-426 8 hours), 50 Hz to 20 kHz frequency response, biamp-ready third order Butterworth crossover, and a Birch plywood cabinet with 30 or 60 degree tilt angles, and a perforated metal "hubcap style" woofer grill panel.

071-1282-100 Fender SPL-1282 Mark II Stage Monitor Speaker (Black Carpet, Available 8-1-1994)...... \$599.99

Features include: a 12" cast frame bass speaker with 3" voice coil, a 2" voice coil compression driver coupled to a constant directivity horn, 8 ohm impedance, 100 dB sensitivity at 1 meter watt, 150 watts power handling, 60Hz to 20 kHz frequency response. Other features include a sophisticated 4th order Linkwitz/Reiley passive crossover, with group delay correction and phase compensation, which can be bypassed for bi-amplified operation. Input connectors include both dual high current 1/4" phone jacks, and dual Neutrik NL-4MP 4 pole Speakon<sup>TM</sup> connectors. The unit is constructed out of void free 13 ply Baltic Birch plywood, covered with black carpeting, with metal corners, a radiused perforated metal grill, and two spring loaded handles. The cabinet may be used in either a 30 or 60 degree tilt angle.

071-1285 -000 070-2835-000 Features include: a 15" cast frame bass speaker with 3" voice coil, a 2" voice coil titanium diaphragm equipped compression driver coupled to a constant directivity horn, 8 ohm nominal system impedance, 100 dB sensitivity at 1 meter watt, 200 watts power handling (E.I.A. RS-426 8 hours), 50 Hz to 20 kHz frequency response, Biampready third order Butterworth crossover, and a Birch plywood cabinet with 30 or 60 degree tilt angles, and a perforated metal "hubcap style" woofer grill panel.

071-1285-100

Fender SPL-1285 Mark II Stage Monitor Speaker (Black Carpet, Available 8-1-1994)....... \$649.99 Features include: a 15" cast frame bass speaker with 3" voice coil, a 2" voice coil compression driver coupled to a constant directivity horn, 8 ohm impedance, 100 dB sensitivity at 1 meter watt, 150 watts power handling, 60Hz to 20 kHz frequency response. Other features include a sophisticated 4th order Linkwitz/Reiley passive crossover, with group delay correction and phase compensation, which can be bypassed for bi-amplified operation. Input connectors include both dual high current 1/4" phone jacks, and dual Neutrik NL-4MP 4 pole Speakon<sup>TM</sup> connectors. The unit is constructed out of void free 13 ply Baltic Birch plywood, covered with black carpeting, with metal corners, a radiused perforated metal grill, and two spring loaded handles. The cabinet may be used in either a 30 or 60 degree tilt angle.

## C.I. (CONTRACTOR/INSTALLER) SERIES STAGE MONITOR SPEAKERS

071-1292-000

An attractive stage monitor enclosure with 30 and 60 degree tilt angles, finished in a sealed natural wood veneer finish (that allows painting to match with any decor), and a chocolate brown fabric grill cloth. Perfect for church podium use, and for use with choirs, as well as ceiling mounting. Other features include: a 12" bass speaker with a 2" voice coil, a dual element horn with two FPZ Piezo drivers, a side panel level control for applications where multiple monitors are driven off of the same amplifier (thus allowing individual level adjustment), a 16 ohm nominal system impedance, 95dB sensitivity at 1 meter watt, 100 watts power handling (E.I.A. RS-426 8 hours), and a 60Hz to 20 kHz frequency response.

LX Series, SR Series, Delta Comp, SPL Series, MX Series, Fender, SysFlex, C.I. Series, LiteSys, SunnPlex, RigSafe, and MX-AutoSoft are all trademarks of the Fender Musical Instruments Corporation. Apple MacIntosh is a registered trademark of Apple Computers, Inc.; IBM is a registered trademark of IBM, Inc.; JBL Safe is a registered trademark of Harmon International; ATM and FlyWare is a registered trademark of ATM; Neutrik and Speakon is a registered trademark of Neutrik. All other corporate names and model numbers are trademarks of their respective corporations and businesses.

Prices, features, and specifications are subject to change without notice.

# PROFESSIONAL STAGE LIGHTING

art Number	Model/Description	U.S. Retail Price
	MANUAL CONTROL CONSOLES	
000 0000 220	SCO4 E	\$269.99
990-9900-330	SC24-F  Two scene, 4 channel with Sunnplex mic cable connect system, variable brightness and fade rates, all flash button, audio sync, remote or footswitch operation. Unpowered, operates from dimmer pack phantom power.	
990-9900-390	SC28-F	<b>\$359.9</b> 9
	master level, audio sync. Unpowered, operates from dimmer pack phantom power.	
990-9900-350	SC216	\$479.99
	Two scene, 16 channel with Sunnplex mic cable connect system, crossfade, flash buttons, master level, audio sync. Unpowered, operates from dimmer pack phantom power.	
	PROGRAMMABLE CONTROL CONSOLES	
990-9900-320	PLC 3200	\$1839.99
	Programmable Lighting Controller with 101 user programmable scenes, 10 key pad for data entry, 32 channels, 4 channels for special effects, MIDI in/out/thru ports,	
	U.S.I.T.T. interface protocol AMX 192 and DMX 512, audio sync, programmable chase,	
	Sunnplex interface, up to 36 programmable sub masters. Internally switchable for 120	
	Volt/230 Volt A.C. operation, with a replaceable I.E.C. type connector.	
	SUNN LITESYS INTEGRATED STAGE LIGHTING SYSTEM	
990-9953-000	SUNN LITESYS 438	TBA
	A compact, portable lighting system, ready to plug in and use. The Litesys 438 consists	
	of a four channel 300 Watt dimmer bar, four Par 38 cans, and four gel frames, built into a transportable case with room for optional tripod stand, cables, and the lighting	
	controller of your choice (not included). Simply place the Litesys bar on the stand or	
	hang it, hook up power to the dimmer bar, a SUNNPLEX control line, and a lighting	
	controller, and you have a reliable, trouble free, expandable lighting system, set up and ready to go in minutes, not hours. In addition to the four par cans included, up to four	
	additional instruments can be mounted and plugged into the bar. 120 Volts A.C.	
990-9954-000	SUNN LITESYS 456	TBA
	Like the Litesys 438 above, but with four 600 watt dimmer channels, and four Par 56 cans. 120 Volts A.C.	
990-9955-000	SUNN LITESYS 464	TBA
220-000-000	Like the Litesys 438 above, but with four 1200 watt dimmer channels, and four Par 64	A THE REAL PROPERTY.

# SATELLITE STYLE DIMMER PACKS (TRUSS OR TREE MOUNT)

080-0310-000	PS-310	\$359.99
	Four channel (32 jumper select programmable channels), 300 watts per channel, with	
	Sunnplex mic cable connect system. 120 Volts A.C.	
080-0610-000	PS-610	\$400.00
000-0010-000	Four channel (32 jumper select programmable channels), 600 watts per channel, with	······································
	Sunnplex mic cable connect system. 120 Volts A.C.	
	1988년 11일 : 1989년 12일 : 19	
990-9900-340	PS-1200	\$509.99
	Four channel (32 jumper select programmable channels), 1200 watts per channel, with	
	Sunnplex mic cable connect system. 120 Volts A.C.	
	RACKMOUNT POWER SWITCHER	
		4.00.00
080-0600-000	PRO RACK ND 600 4 channel non-dim power pack, 600 watts per channel, Sunnplex and 0-10 volt inter-	\$539.99
	face, 2 rack spaces. 120 Volts A.C.	
	late, 2 facts spaces. 120 volus fact.	
	LIGHT GROUPS	
		4070.00
990-9900-260	LG-4	\$379.99
	truss bar with stand adaptor. 120 Volts A.C.	
	was ber wan bound daupovi. 250 void 250.	
	ACCESSORIES	
	Acceptotales	
990-9900-280	ST-100	\$179.99
	Tripod stand constructed of anodized aluminum alloy tubing, 100 lb. capacity.	
990-9958-000	PC-2 PAR/Pipe Clamp	ТВА
	The PC-2 Clamp is an alternative method of attaching any size PAR can, or for mounting the SUNN Litesys or SUNN 4060/4120 distributed dimmer bars.	
	mg me 501414 Likesys of 501414 4000/4120 distributed diminici bals.	
990-9900-360	CB-100	\$89.99
	Four foot cross bar, drilled for fixture mounting, anodized aluminum alloy tubing.	
		400.00
990-9900-380	PAR 38	\$69.99
	Lighting fixture includes gel frame, six foot cord. 120 Volts A.C.	
990-9900-560	PAR 56	\$79.99
	Lighting fixture includes gel frame, six foot cord. 120 Volts A.C.	
TELESTICE STILL		
990-9900-640	PAR 64	\$79.99
	Lighting fixture includes gel frame, six foot cord. 120 Volts A.C.	
990-9900-140	Colormedia	\$59.99
	One each of 20" x 24" gels of four assorted colors.	

#### LAMPS

990-9900-180	(150 Watt, 120 Volt, Par 38 Lamp)	\$15.99
990-9900-190	(250 Watt, 120 Volt, Krypton Par 38 Lamp)	\$29.99
990-9900-200	(300 Watt, 120 Volt, Par 56 Medium Flood Lamp)	\$35.99
990-9900-210	(500 Watt, 120 Volt, Par 56 Quartz Lamp)	\$79.99
990-9900-220	(500 Watt, 120 Volt, Par 64 Narrow Spot)	\$59.99
990-9900-230	(1,000 Watt, 120 Volt, Par 64 Quartz Lamp)	\$129.99

LX Series, SR Series, Delta Comp, SPL Series, MX Series, Fender, SysFlex, C.I. Series, LiteSys, SunnPlex, RigSafe, and MX-AutoSoft are all trademarks of the Fender Musical Instruments Corporation. Apple MacIntosh is a registered trademark of Apple Computers, Inc.; IBM is a registered trademark of IBM, Inc.; JBL Safe is a registered trademark of Harmon International; ATM and FlyWare is a registered trademark of ATM; Neutrik and Speakon is a registered trademark of Neutrik. All other corporate names and model numbers are trademarks of their respective corporations and businesses.

Prices, features, and specifications are subject to change without notice.